Printing date 20.12.2023

\*

PRODUCTS, INC.

Version number 1

Revision: 20.12.2023

1.0000000000000000000000000000000000000	tifier	
	: UltraCem <sup>TM</sup> Liquid	
	ber: SDS 320-001.05R01, 23229, 2056 ntified uses of the substance or mixture and uses advised against	
	elevant information available.	
	of the substance / the mixture Dental Material	
	-	
	e supplier of the safety data sheet	
· Manufacture		
	d by SHOFU Dental Corporation for:	
Ultradent Pro		
	dent Drive (10200 S)	
	n, UT, 84095-3942	
USA	unnaut Quitur dout com	
onineoraersi	upport@ultradent.com	
EC Responsi	ble Person	
	oducts GmbH	
Am Westhove		
51149 Colog		
	e@ultradent.com	
	Phone : +49(0)2203-35-92-0	
<b>E</b> 4 • 6	rmation obtainable from: Customer Service	
· Furthar Inta		
Emergency t	elephone number:	
<b>Emergency</b> to CHEMTREC	elephone number: (NORTH AMERICA) :(800) 424-9300	
<b>Emergency</b> to CHEMTREC	elephone number:	
<b>Emergency</b> to CHEMTREC	elephone number: (NORTH AMERICA) :(800) 424-9300	
Emergency to CHEMTREC	elephone number: [ (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887	
Emergency to CHEMTREC	elephone number: (NORTH AMERICA) :(800) 424-9300	
Emergency t CHEMTREC	Telephone number: T (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Sentification In of the substance or mixture	
Emergency t CHEMTREC	elephone number: C (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 C (Internation)	
Emergency t CHEMTREC	Telephone number: T (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Sentification In of the substance or mixture	
Emergency t CHEMTREC	Telephone number: T (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Sentification In of the substance or mixture	
Emergency t CHEMTREC	Telephone number: T (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Sentification In of the substance or mixture	
Emergency to CHEMTREC Hazards id Classification Classification	Telephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Ientification n of the substance or mixture n according to Regulation (EC) No 1272/2008	
Emergency to CHEMTREC Hazards id Classification Classification Eye Irrit. 2	Hall Causes serious eye irritation.	
Emergency to CHEMTREC Hazards id Classification Classification Eye Irrit. 2	Telephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 Ientification n of the substance or mixture n according to Regulation (EC) No 1272/2008	
Emergency to CHEMTREC Hazards id Classification Classification Eye Irrit. 2	Telephone number: Telephone num	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Label lemen	Telephone number:   T(NORTH AMERICA) : (800) 424-9300   (INTERNATIONAL) : +(703) 527-3887   Ientification   n of the substance or mixture   n according to Regulation (EC) No 1272/2008   H319 Causes serious eye irritation.   H317 May cause an allergic skin reaction.   nts   cording to Regulation (EC) No 1272/2008	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Label lemen	Telephone number: Telephone num	
Emergency to CHEMTREC ( Hazards id Classification Classification Eye Irrit. 2 Skin Sens. 1 Label element Labelling actor The product of Hazard picto	Pelephone number:   P(NORTH AMERICA) : (800) 424-9300   (INTERNATIONAL) : +(703) 527-3887   Pentification   n of the substance or mixture   n according to Regulation (EC) No 1272/2008   H319 Causes serious eye irritation.   H317 May cause an allergic skin reaction.   nts   cording to Regulation (EC) No 1272/2008   is classified and labelled according to the GB CLP regulation.   params GHS07	
Emergency to CHEMTREC ( Hazards id Classification Classification Eye Irrit. 2 Skin Sens. 1 Label element Label element Label ng act	Pelephone number:   P(NORTH AMERICA) : (800) 424-9300   (INTERNATIONAL) : +(703) 527-3887   Pentification   n of the substance or mixture   n according to Regulation (EC) No 1272/2008   H319 Causes serious eye irritation.   H317 May cause an allergic skin reaction.   nts   cording to Regulation (EC) No 1272/2008   is classified and labelled according to the GB CLP regulation.   params GHS07	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label element Labelling act The product of Hazard picto Signal word	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. Its cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. ograms GHS07 Warning	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label element Labelling act The product of Hazard picto Signal word	Pelephone number:   Y(NORTH AMERICA) : (800) 424-9300   Y(INTERNATIONAL) : +(703) 527-3887   Ientification   n of the substance or mixture   n according to Regulation (EC) No 1272/2008   H319 Causes serious eye irritation.   H317 May cause an allergic skin reaction.   nts   cording to Regulation (EC) No 1272/2008   is classified and labelled according to the GB CLP regulation.   ograms GHS07   Warning   rmining components of labelling:	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label element Labelling act The product of Hazard picto Signal word	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. mts cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. grams GHS07 Warning rmining components of labelling: hyl Methacrylate	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. hts cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. ograms GHS07 Warning rmining components of labelling: hyl Methacrylate ments	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state H319 Causes	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. hts cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. ograms GHS07 Warning rmining components of labelling: hyl Methacrylate ments s serious eye irritation.	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state H319 Causes H317 May ca	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. grams GHS07 Warning rmining components of labelling: hyl Methacrylate ments s serious eye irritation. suse an allergic skin reaction.	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state H319 Causes	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. Organs GHS07 Warning rmining components of labelling: hyl Methacrylate ments s serious eye irritation. s serious eye irritation. s serious eye irritation. s use an allergic skin reaction. ry statements	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state H319 Causes H317 May ca Precautional	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 lentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H318 cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. grams GHS07 Warning rmining components of labelling: hyl Methacrylate ments s serious eye irritation. suse an allergic skin reaction.	
Emergency to CHEMTREC CHEMTREC Classification Classification Classification Eye Irrit. 2 Skin Sens. 1 Label elemen Labelling act The product of Hazard picto Signal word Hazard-deten 2-Hydroxyeth Hazard state H319 Causes H317 May ca Precautionan P101	elephone number: (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887 dentification n of the substance or mixture n according to Regulation (EC) No 1272/2008 H319 Causes serious eye irritation. H317 May cause an allergic skin reaction. H317 May cause an allergic skin reaction. H3 cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. by Cording to Regulation (EC) No 1272/2008 is classified and labelled according to the GB CLP regulation. by Cording to Regulation. ty Methacrylate ments s serious eye irritation. use an allergic skin reaction. ry statements If medical advice is needed, have product container or label at hand.	

Printing date 20.12.2023 Version number 1

Revision: 20.12.2023

#### Trade name: UltraCem<sup>™</sup> Liquid

	(Contd. of page 1)
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves / eye protection / face protection.
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	<i>If eye irritation persists: Get medical advice/attention.</i>
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

## 3 Composition/information on ingredients

• Description: Mixture of substances listed below with nonhazardous additions.

#### • Dangerous components:

CAS: 868-77-9 2-Hydroxyethyl Methacrylate

*≥10-≤*25%

EINECS: 212-782-2 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317 • Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

#### · Description of first aid measures

• After inhalation:

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if you feel unwell.

If symptom concerning breath goes out, call a POISON CENTER or doctor.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

#### • After skin contact:

If on skin, skin irritation, get medical advice/attention.

Immediately wash with water and soap and rinse thoroughly.

#### • After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Rinse mouth with water. Seek medical advice if necessary.

- Most important symptoms and effects, both acute and delayed No further relevant information available. • Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **5** Firefighting measures

• Extinguishing media Powder, alcohol-resistant foam, carbon dioxide, dry sand.

• Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- Special hazards arising from the substance or mixture
- If it is not dangerous, the container is moved from the fire district.

• *Advice for firefighters:* Wear fire protective cloth and self-contained breathing apparatus, if necessary.

· Protective equipment:

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

(Contd. on page 3)

<sup>•</sup> Mixtures

Printing date 20.12.2023

Version number 1

Revision: 20.12.2023

#### Trade name: UltraCem<sup>TM</sup> Liquid

(Contd. of page 2)

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear an appropiate protection tool.

*It enters and is prohibited other than parties concerned.* 

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions:
- Attention should be take for the spillage not to flow into sewages, drains, and low ground.

• Methods and material for containment and cleaning up:

Wipe up and discard in a suitable container.

Dispose contaminated material as waste according to item 13.

#### · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

• Precautions for safe handling:

Wear an appropriate protection tool, and avoids eyes, the cutaneous contacts. Handling of the product exclusively restrict to dental specialists, according to the instructions for use. • **Information about fire - and explosion protection:** Keep respiratory protective device available.

• *Conditions for safe storage, including any incompatibilities Store in a cool and dry place out of direct sunlight. Separated from organic peroxide. Keep containers closed.* 

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection:
- Dust mask

(Contd. on page 4)

GB

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.12.2023

Version number 1

#### Trade name: UltraCem<sup>™</sup> Liquid

(Contd. of page 3) In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Hand protection



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• For the permanent contact in work areas without heightened risk of injury (e.g. Laboratory) gloves made of the following material are suitable:

Butyl rubber, BR

Nitrile rubber, NBR

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

Information on basic physical and chemic	ui properues	
General Information		
Physical state	Fluid	
Colour:	Clear	
Odour:	Characteristic	
Odour threshold:	Not determined.	
Melting point/freezing point:	Undetermined.	
Boiling point or initial boiling point and b	oiling range 100 °C	
Flammability	Not applicable.	
Lower and upper explosion limit		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	
pH at 20 °C	2-3	
Viscosity:		
Kinematic viscosity	Not determined.	
Dynamic:	Not determined.	
Solubility		
water:	Soluble.	

Printing date 20.12.2023

Version number 1

Revision: 20.12.2023

Trade name: UltraCem<sup>™</sup> Liquid

	(Contd. of pag
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined.
Relative density	1.2 (water=1)
Bulk density:	$0 kg/m^3$
· Vapour density	Not determined.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health a environment, and on safety.	and
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
Information with regard to physical hazard classes	
• Explosives	Void
· Flammable gases	Void
· Aerosols	Void
• Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ises
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Avoid direct sunlight and high temperature.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None under normal conditions of storage and use.

#### **11 Toxicological information**

• Information on hazard classes as defined in Regulation (EC) No 1272/2008 • Acute toxicity Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 20.12.2023

Version number 1

Revision: 20.12.2023

Trade name: UltraCem<sup>™</sup> Liquid

	9 2-Hydroxyethyl	i memueryane	
Oral	LD50	3,275 mg/kg (mouse)	
		>5.564 mg/kg (rat)	
	LC50 Fish	>100 mg/l (Fish)	
Dermal	LD50	>3,000 mg/kg (rabbit)	
	LC50(Daphnia n	nagna) 24.1 mg/l (daphnia)	
Skin co	rrosion/irritation	Based on available dara, the classification criteria are not met.	
	eye damage/irrite		
	serious eye irritat		
Causes .	serious eye irritat	tion.	
Respira	tory or skin sensi	tisation	
	use an allergic ski		
	use an allergic ski		
		Based on available data, the classification criteria are not met.	
Carcino	genicity Based or	n available data, the classification criteria are not met.	
Reprodu	uctive toxicity Bas	sed on available data, the classification criteria are not met.	
STOT-s	ingle exposure Ba	ased on available data, the classification criteria are not met.	
STOT-r	epeated exposure	P Based on available data, the classification criteria are not met.	
		on available data, the classification criteria are not met.	
	ation on other has		
Endocr	ine disrupting pro	operties	
None of	the ingredients is	s listed.	

· Toxicity

• Aquatic toxicity:

868-77-9 2-Hydroxyethyl Methacrylate

EC50 345 mg/kg (Algae)

· Persistence and degradability No further relevant information available.

- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Must not reach sewage water or drainage ditch undiluted or unneutralised.

(Contd. on page 7)

GB

Printing date 20.12.2023

Version number 1

Revision: 20.12.2023

(Contd. of page 6)

Trade name: UltraCem<sup>™</sup> Liquid

**13 Disposal considerations** 

· Waste treatment methods

#### · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

## **14 Transport information**

· UN number or ID number · ADR, IMDG, IATA	not regulated	
· UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	not regulated	
· Packing group · ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not Applicable	
• Maritime transport in bulk according instruments	to IMO Not applicable.	
· UN "Model Regulation":	not regulated	

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Chemical safety assessment: A chemical safety assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

· Department issuing SDS: Environmental, Health, and Safety

(Contd. on page 8)

<sup>·</sup> Directive 2012/18/EU

GB '

Printing date 20.12.2023

Version number 1

Revision: 20.12.2023

# Trade name: UltraCem<sup>TM</sup> Liquid

(0	Contd. of page 7)
· Contact: Customer Service	/
· Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning	the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
* * Data compared to the previous version altered.	
	GR
	OD