

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Opalescence GoTM 10% (Mint and Melon)
- · Article number: SDS 481-001.02R01, 1005956, 1005957
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Professional Dental Bleaching Gel
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

3 Composition/information on ingredients

- · Mixtures
- Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 2)

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

D		Contd. of page
Dangerous compone	ents:	
CAS: 56-81-5	Glycerin	>30-<509
EINECS: 200-289-5	substance with a Community workplace exposure limit	
CAS: 7722-84-1	Hydrogen Peroxide	10%
EINECS: 231-765-0	♠ Ox. Liq. 1, H271; ♦ Skin Corr. 1A, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H332	
	Specific concentration limits: Ox. Liq. 1; H271: C ≥ 70 %	
	Ox. Liq. 2; H272: $50 \% \le C < 70 \%$	
	Skin Corr. 1A; H314: C ≥ 70 %	
	Skin Corr. 1B; H314: 50 % ≤ C < 70 %	
	Skin Irrit. 2; H315: 35 % ≤ C < 50 %	
	Eye Dam. 1; H318: C≥8 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 8 %	
	STOT SE 3; H335: C ≥ 35 %	
CAS: 1310-58-3	Potassium Hydroxide	>1-<5%
EINECS: 215-181-3		
211,200,210 101 0	Specific concentration limits: Skin Corr. 1A; $H314$: $C \ge 5\%$	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; $H319: 0.5\% \le C < 2\%$	
	Artificial Watermelon	>1-<5%
		/1-\3/6
~ . ~ ===	♦ Flam. Liq. 3, H226	
CAS: 7758-11-4	Dipotassium Phosphate	>1-<5%
EINECS: 231-834-5	♦ Acute Tox. 3, H331	
CAS: 8006-90-4	Oils, Peppermint	<1%
EINECS: 282-015-4	♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment: No special measures required.

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

(Contd. of page 2)

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling: See product labeling.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

T 10 / 1/1	1	.1 . •	•, •	, ,1 1 1
· Ingredients with	limit valuot	tuat vaaiiiva	MANITAPINA	it tha warkniaca.
ingieuleius wun	инии ушиво и	иши гепипе	monuona a	u me workbuce.

56-81-5 Glycerin

WEL Long-term value: 10 mg/m³

7722-84-1 Hydrogen Peroxide

WEL Short-term value: 2.8 mg/m³, 2 ppm

Long-term value: 1.4 mg/m³, 1 ppm

1310-58-3 Potassium Hydroxide

WEL Short-term value: 2 mg/m³

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

(Contd. of page 3)

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Goggles recommended during refilling
- · **Body protection:** Protective work clothing

9 Physical and chemical properties

· Information	on basic	nhysical	and chemic	al properties
Injoinumundi (m vusic	pnysicui	unu chemic	ui properiies

· General Information

· Physical state Fluid

· Colour: White Opaque

· Odour: Mint

· Odour threshold: Not determined.

· Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and boiling range Undetermined.

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: Not applicable.
 Decomposition temperature: Not determined.

 \cdot pH at $\hat{\mathbf{20}}$ °C 5-7

· Viscosity:

• Kinematic viscosity Not determined. • Dynamic: Not determined.

·Solubility

water: Partly miscible.
Partition coefficient n-octanol/water (log value) Not determined.
Vapour pressure: Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

· Other information

· Appearance:

· Form: Gel

· Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined.

Information with regard to physical hazard classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void
Gases under pressure Void
Flammable liquids Void
Flammable solids Void

(Contd. on page 5)

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

(Contd. of page 4)

Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammab	le gases
in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
Desensitised explosives	Void

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50	values relev	ant for classification:	
ATE (Acute Toxicity Estimates)			
Oral	LD50	2,684 mg/kg	
Dermal	LD50	70,000 mg/kg (rat)	
Inhalative	LC50/4 h	>39.7 mg/l	
56-81-5 G	lycerin		
Oral	LD50	7,750 mg/kg (guinea pig)	
		4,100 mg/kg (mouse)	
		5,570 mg/kg (rat)	
		27,000 mg/kg (rabbit)	
	LC50 Fish	>5,000 mg/l (Fish)	
Dermal	LD50	>21,900 mg/kg (rat)	
		10,000 mg/kg (rabbit)	
7722-84-1	Hydrogen I	Peroxide	
Oral	LC50 Fish	16.4 mg/l (Fish)	
1310-58-3	Potassium .	Hydroxide	
Oral	LD50	214 mg/kg (rat)	
	LC50 Fish	80 mg/l (Fish)	
			(Contd. on pag

i page o

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence Go™ 10% (Mint and Melon)

		(Co	ontd. of page 5)
7758-11-4	Dipotassiui	am Phosphate	
Oral	LD50	4,260-5,700 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	>0.83 mg/l (rat)	
8006-90-4 Oils, Peppermint			
Oral	LD50	2,490 mg/kg (mouse)	
		2,426 mg/kg (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· Toxicity

	•
· Aquat	ic toxicity:
56-81-	5 Glycerin
EC50	>10,000 mg/kg (Bacteria)
	34-1 Hydrogen Peroxide
EC50	1.38 mg/l (Algae) 2.4 mg/l (daphnia)
	2.4 mg/l (daphnia)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

GB

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

(Contd. of page 6)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

not regulated
not regulated
not regulated
not regulated
Not applicable.
Not Applicable
o IMO
Not applicable.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	

· Poisons Act

	· Regulated explosives precursors	
I	7722-84-1 Hydrogen Peroxide	12%

· Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

7757-79-1 Potassium Nitrate Listed

Dan	~**	Lla	noise	
∙ĸ₽n	orta	nıe	naisa	าทร

	-	<u>*</u>	
Ì	310-58-3	Potassium Hydroxide	17% of total caustic alkalinity
7	7681-49-4	Sodium Fluoride	Listed

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

(Contd. on page 8)

Printing date 13.02.2025 Version number 1 Revision: 13.02.2025

Trade name: Opalescence GoTM 10% (Mint and Melon)

(Contd. of page 7)

· Chemical safety assessment: A chemical safety assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H226 Flammable liquid and vapour.

H271 May cause fire or explosion; strong oxidiser.

H272 May intensify fire; oxidiser.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

· Department issuing SDS: Environmental, Health, and Safety

· Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Flam. Liq. 3: Flammable liquids – Category 3

Ox. Liq. 1: Oxidizing liquids – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.