

Revision: 05.02.2025 *Printing date 05.02.2025* Version number 1

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Permaflo<sup>TM</sup> Permaflo<sup>TM</sup> Pink Permaflo<sup>TM</sup> Purple
- · Article number:

SDS 55-001.12R01, 94630, 76387, 94608, 72296, 94613, 10065, 94617, 76377, 94621, 94705, 94625, 94636

- · Relevant identified uses of the substance or mixture and uses advised against Professional Dental Restorative Material
- · Application of the substance / the mixture Professional Dental Restorative Material
- Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDE@ultradent.com

Emergency Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- Emergency telephone number:

CHEMTREC (NORTH AMERICA): (800) 424-9300 (INTERNATIONAL): +(703) 527-3887

### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Triethylene Glycol Dimethacrylate 2-Hydroxyethyl Methacrylate Diurethane Dimethacrylate Irgacure 819 Trade Secret

(Contd. on page 2)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

#### Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 1)

#### · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

### Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

*P103* Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves / eye protection / face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

*P337+P313 If eye irritation persists: Get medical advice/attention.* 

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### 3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 109-16-0	Triethylene Glycol Dimethacrylate	>10-<30%
EINECS: 203-652-6	♦ Skin Sens. 1, H317	
CAS: 2530-85-0	Silane	>10-<30%
EINECS: 219-785-8	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 868-77-9	2-Hydroxyethyl Methacrylate	>1-<10%
EINECS: 212-782-2	♦ Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 72869-86-4	CAS: 72869-86-4 Diurethane Dimethacrylate	
EINECS: 276-957-5	💠 Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 13463-67-7	Titanium Dioxide	>1-<5%
EINECS: 236-675-5	<b>♦</b> Carc. 2, H351	
	Trade Secret	<1%
	♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 10287-53-3	Ethyl-4-Dimethylamino Benzoate	≥0.1<1%
EINECS: 233-634-3	♦ Repr. 1B, H360; ♦ Aquatic Chronic 2, H411	
	Irgacure 819	<1%
	💠 Skin Sens. 1A, H317; Aquatic Chronic 4, H413	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

Supply fresh air and to be sure call for a doctor.

*In case of unconsciousness place patient stably in side position for transportation.* 

(Contd. on page 3)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 2)

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If swallowed in large quantities seek medical attention.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Water spray

Foam, dry chemical, carbon dioxide

*Use fire extinguishing methods suitable to surrounding conditions.* 

- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters:
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

· Precautions for safe handling:

Keep away from heat and direct sunlight.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

See product labelling.

Store in a cool place.

Store in the dark.

(Contd. on page 4)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 3)

Protect from exposure to the light.

Keep container tightly sealed.

· Specific end use(s) Professional dental restorative material

### 8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

#### 13463-67-7 Titanium Dioxide

WEL Long-term value: 10\* 4\*\* mg/m³ \*total inhalable \*\*respirable

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 4)

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Physical state Fluid

· Color Dependent

· Odour: Acrylic

• Odour threshold:
• Melting point/freezing point:

Undetermined.

 $\cdot$  Boiling point or initial boiling point and boiling range 213  $^{\circ}\mathrm{C}$ 

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
 Upper: Not determined.
 Flash point: 106 °C
 Auto-ignition temperature: 255 °C

• Decomposition temperature: Not determined.

· pH Not applicable (non-aqueous)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

·Solubility

• water: Not miscible or difficult to mix.

· Partition coefficient n-octanol/water (log value) Not determined.

· Vapour pressure at 20 °C: 0 hPa

· Density and/or relative density

Density: Not determined.
 Relative density Not determined.
 Vapour density Not determined.

· Other information

· Appearance:

· Form: Gel

· Important information on protection of health and environment, and on safety.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

· Explosives Void · Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void Void

Pyrophoric liquids Pyrophoric solids Void

· Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases

in contact with water Void

Oxidising liquids Void

(Contd. on page 6)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 5)

		, , ,
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid:

Light

Flames

Ignition sources

Heat

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
109-16-0 '	109-16-0 Triethylene Glycol Dimethacrylate		
Oral	LD50	>5,000 mg/kg (rat)	
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (mouse)	
868-77-9	868-77-9 2-Hydroxyethyl Methacrylate		
Oral	LD50	3,275 mg/kg (mouse)	
		>5,000 mg/kg (rat)	
	LC50 Fish	>100 mg/l (Fish)	
Dermal	LD50	>3,000 mg/kg (rabbit)	
	LC50(Daphnia magna)	24.1 mg/l (daphnia)	
72869-86-	72869-86-4 Diurethane Dimethacrylate		
Oral	LD50	>5,000 mg/kg (rat)	
13463-67-	13463-67-7 Titanium Dioxide		
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>5,000 mg/kg (rabbit)	
Trade Sec	Trade Secret		
Oral	LD50	1,550 mg/kg (rat)	
	LC50 Fish	19 mg/l (Fish)	
Dermal	LD50	2,000 mg/kg (rabbit)	
Inhalative	LC50/4 h	96 mg/l (rat)	

(Contd. on page 7)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

	Irgacure 8	cure 819 (Contd. of page 6		
İ	Oral	LD50	>2,000 mg/kg (rat)	
		LC50 Fish	>0.09 mg/l (Fish) (Toxicity to fish)	
	Dermal	LD50	>2,000 mg/kg (rat)	

- Primary irritant effect:
- · Skin corrosion/irritation Causes skin irritation.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

· Toxicity

109-16-0 Triethylene Glycol Dimethacrylate			
EC50	>100 mg/kg (Algae)		
Biodegradability	28 days (Aerobic) (Biodegradability testing)		
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)		
868-77-9 2-Hydroxyethyl Methacrylate			
EC50	345 mg/kg (Algae)		
72869-86-4 Diurethane Dimethacrylate			
EC50	>0.6 mg/kg (Algae)		
Biodegradability	28 days (Aerobic) (Biodegradability testing)		
13463-67-7 Titanium Diox	ride		
EC50	>100 mg/kg (Algae)		
	>1,000 mg/kg (Fish)		
Trade Secret			
EC50	42 mg/kg (Algae)		
Irgacure 819			
EC50 (static)	>1.175 mg/kg (daphnia) (Toxicity to aquatic invertebrates)		
Aqua toxicity	≥0.008 mg/l (daphnia) (Daphnia Magna Reproduction Test)		
Toxicity to Aquatic Plants (	(static) >0.26 mg/l (Plant) (Toxicity to algae)		

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 8)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 7)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN number or ID number · ADR, ADN, IMDG, IATA	not regulated
· UN proper shipping name · ADR, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADR, ADN, IMDG, IATA	
· Class	not regulated
· Packing group	
· ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.

· Special precautions for user Not Applicable

· Maritime transport in bulk according to IMO instruments Not applicable.

· UN "Model Regulation": not regulated

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Silica Glass

- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

Reportable poisons

None of the ingredients is listed.

(Contd. on page 9)

Printing date 05.02.2025 Version number 1 Revision: 05.02.2025

Trade name: Permaflo<sup>TM</sup> - Permaflo<sup>TM</sup> Pink - Permaflo<sup>TM</sup> Purple

(Contd. of page 8)

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases from Section 3

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity – Category 2

Repr. 1B: Reproductive toxicity - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

\* \* Data compared to the previous version altered.