

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Astringedent<sup>TM</sup> Astringedent<sup>TM</sup> X ViscoStat<sup>TM</sup>
- · Article number: SDS 8-001.17R01, 10309, 64500, 1012564, 10308
- Relevant identified uses of the substance or mixture and uses advised against Professional dental hemostatic agent
- · Application of the substance / the mixture Professional dental hemostatic agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Office Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- · Emergency telephone number:

CHEMTREC (NORTH AMERICA) : (800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

### 2 Hazards identification

- · Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008



corrosion

Skin Corr. 1 H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



Acute Tox. 4 H332 Harmful if inhaled.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms GHS05, GHS07
- · Signal word Danger
- · Hazard-determining components of labelling: Iron (III) Sulfate

(Contd. on page 2)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name: Astringedent<sup>TM</sup> - Astringedent<sup>TM</sup> X - ViscoStat<sup>TM</sup>

(Contd. of page 1)

#### · Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

*P102 Keep out of reach of children.* 

*P103* Read carefully and follow all instructions.

*P260* Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

*P321* Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

### 3 Composition/information on ingredients

· Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

Г	· Dangerous compone	ents:		
	CAS: 10028-22-5 EINECS: 233-072-9		♦ Skin Corr. 1, H314; ♦ Eye Irrit. 2, H319	>14-<50%
	CAS: 57-55-6 EINECS: 200-338-0	1.0	substance with a Community workplace exposure limit	>5-<25%

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

## 4 First aid measures

- · Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name:  $Astringedent^{TM}$  -  $Astringedent^{TM}X$  -  $ViscoStat^{TM}$ 

(Contd. of page 2)

· Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters:
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about fire and explosion protection: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional dental hemostatic agent

#### 8 Exposure controls/personal protection

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

#### 10028-22-5 Iron (III) Sulfate

WEL Short-term value: 2 mg/m³ Long-term value: 1 mg/m³ as Fe

#### 57-55-6 Propylene Glycol

WEL Long-term value: 474\* 10\*\* mg/m³, 150\* ppm \*total vapour and particulates \*\*particulates

· Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name: Astringedent<sup>TM</sup> - Astringedent<sup>TM</sup> X - ViscoStat<sup>TM</sup>

(Contd. of page 3)

- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection



Tightly sealed goggles

· Body protection: Protective work clothing

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Physical state Fluid

• Colour: According to product specification

· Odour:
 Slight iron odor
 Odour threshold:
 Not determined.
 Melting point/freezing point:
 Undetermined.
 Boiling point or initial boiling point and boiling range Undetermined.

Flammability Not applicable.

· Lower and upper explosion limit

Lower:

Upper:
Not determined.
Flash point:
Not applicable.
Not applicable.
Not determined.

(Contd. on page 5)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name: Astringedent<sup>TM</sup> - Astringedent<sup>TM</sup> X - ViscoStat<sup>TM</sup>

	(Contd. of pa
pH at 20 °C	1.23-1.27
Viscosity:	
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
Solubility	
water:	Partly miscible.
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure at 25 °C:	0.2 hPa
Density and/or relative density	
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Other information	
Appearance:	
Form:	Liquid
Important information on protection of health a	
environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable ga	ises
in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions:

Reacts with peroxides.

These products will react violently with peroxides so mixing with peroxides should be avoided.

- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.

(Contd. on page 6)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name: Astringedent<sup>TM</sup> - Astringedent<sup>TM</sup> X - ViscoStat<sup>TM</sup>

(Contd. of page 5)

· Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

## · LD/LC50 values relevant for classification:

#### 57-55-6 Propylene Glycol

 Oral
 LD50
 18,000 mg/kg (rabbit)

 LC50 Fish
 >5,000 mg/l (Fish)

 Dermal
 LD50
 20,800 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

#### 57-55-6 Propylene Glycol

EC50 18,100 mg/kg (Algae)

- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

(Contd. on page 7)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

 $\textit{Trade name: Astringedent}^{\text{TM}} - \textit{Astringedent}^{\text{TM}} X - \textit{ViscoStat}^{\text{TM}}$ 

(Contd. of page 6)

· Uncleaned packaging:
· Recommendation: Disposal must be made according to official regulations.

UN number or ID number ADR, IMDG, IATA	UN3264
UN proper shipping name ADR IMDG, IATA	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Transport hazard class(es)	
ADR, IMDG, IATA	
Class Label	8 Corrosive substances.
Packing group ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances. 60 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters.
Maritime transport in bulk according to IMO instruments	Not applicable.
Transport/Additional information:	
ADR Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 8)

Printing date 13.03.2025 Version number 1 Revision: 13.03.2025

Trade name:  $Astringedent^{TM}$  -  $Astringedent^{TM}X$  -  $ViscoStat^{TM}$ 

(Contd. of page 7)

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. 8,

II

#### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

- · Department issuing SDS: Environmental, Health, and Safety
- · Contact: Customer Service
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1: Skin corrosion/irritation – Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

\* Data compared to the previous version altered.